


Hardy Trees, Shrubs, Plants and Bubs LIBRARY
RECFICION
** JUL 23 1958 **
U. S. Department of Assiculture

For Fall and Spring Planting 1958-1959



Western Union Telegraph and Long Distance Connection. Wire Orders When in a Hurry, to Avoid Delay. Telephone Ashford No. 2 Through Marion Exchange.

NOTE TO CUSTOMERS

OUR LOCATION

Is in the heart of the Blue Ridge Mountains, "the most beautiful mountain region on the continent," in western North Carolina, nearly 4,000 feet above sea-level. My permanent headquarters is Ashford, McDowell County, North Carolina, on the Clinchfield Railroad and U. S. Highway No. 221. Six miles south of Blue Ridge Parkway, Via Linville Falls. Nursery located two miles south of Linville on U. S. Highway 221.

QUOTATIONS

This list cancels all previous offers. Do not order from old catalogues. Send for new copy. All offers of stock are made subject to conditions beyond my control.

PACKING AND GRADING

Will be done in the most careful way. Orders will be packed to insure arrival in good condition. Shipments will be delivered to the local freight, express, or post office at prices named in this Catalogue. Packing will be charged at cost on charge orders. All shipments delivered at cost and risk of customer. Certificate of inspection attached to all shipments.

REMITTANCE OR REFERENCE

Should accompany orders from unknown correspondents. Discount of 5 per cent on cash orders amounting to \$5.00 and over only. All bills due and payable 30 days from date of invoice. Interest charged after 30 days. Add 15% to Parcel Post orders. Any excess will be returned or charged as the case may be.

SHIPPING INSTRUCTIONS

Should always be given fully, unless you prefer to leave to our best judgment. In this we assume no risk, our responsibility ceasing upon receipt of signed bill of lading by forwarders. All Claims for damages in transit must be handled by consignee.

CLAIMS

All claims for errors must be reported upon receipt of goods and will be rectified promptly. Unless this is done we cannot accept responsibility of any kind.

No GUARANTEE is made that stock will grow, whether planted by us or not. As we have no control over after-treatment or weather conditions, the purchaser must assume all risks after stock leaves our Nursery in good condition.

In no case shall we be held for damage exceeding original purchase price and only to this extent when proper proof is furnished that stock has been wrongly labeled.

All orders are accepted and filled on these terms, unless otherwise agreed.

ORDERS NOT ACCEPTED FOR LESS THAN \$3.00

FALL PLANTING SEASON begins in August and extends usually till about December 1, according to weather conditions.

SPRING SHIPMENTS are forwarded according to customers' wishes and subject to conditions beyond our control, March 1 to May 15. PLEASE ORDER EARLY.

WE SHIP all winter according to weather and locality served.

Send Us Your Want List for Quantity Quotations—Ask for Quantity Discounts.

ALL OUR NURSERY STOCK IS GUARANTEED TO BE AS REPRESENTED,
GOOD QUALITY AND TRUE TO NAME. BEST PACKING.
VISITORS ALWAYS WELCOME.

PRICE LIST FOR FALL AND SPRING PLANTING 1958 - 1959

NATIVE MOUNTAIN WILDINGS

This list contains a variety of Herbaceous plants furnishing a succession of bloom from early spring to late autumn, all having been tried out with success in cultivation. The height indicates the approximate height of each plant as found in wild state. The time of blooming naturally depends on locality.


Hardy Native Herbaceous Perennials

NOTE: "DECIDUOUS" indicates that tops die down annually. "EVER-GREEN" remaining green the year-round. Both represent Perennials, lasting many years.

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|-----|----------------|----------------|--------|
| ACONITUM uncinatum. Clambering Monkshood. 3-5 ft. Smooth, vine like stem. Blue hood-shaped showy flowers in mid-summer. Shade or partial | | | | |
| shade. Strong | .35 | \$.25 | \$.20 | \$.18 |
| spicuous berries. Fine for rock work or shady corner. Strong | .37 | .28 | .22 | .20 |
| late summer. Plant in shade or partial shade. | .38 | .26 | .21 | |
| Strong | | | | |
| Flowers greenish white in early spring. Strong ANGELICA CURTISII. Curtis' Angelica. Carrot fam- | .28 | .24 | .23 | |
| ily. White flowers. Odor scentless. Range N. C. and Pa. Stem 2-3 ft. Time of bloom August-September. Grown for the subtropical effect of | 9.5 | 9.6 | 0.4 | |
| its finely cut, ample foliage. Strong plants ARALIA racemosa. American Spikenard. Deciduous. 1½-3 ft. Root large aromatic. Stem often tall branched. Leaves large divided heart-shaped, toothed. Flowers greenish-white in clusters early summer. Fruit dark purple, red or black | .35 | .26 | .24 | |
| berry-like, Strong plants | .40 | .36 | .34 | |
| small white flowers in plume-like panicles in shady locations. June and July. X strong ASARUM canadense. Canada Wild Ginger. Deciduous. 9-18 ins. Kidney-shaped leaves 3-5 in. wide, with | .36 | .32 | .24 | |
| single purplish flowers close to the ground. Plant in shady corner with ferns. Strong | .30 | .24 | .20 | .17 |
| white. Shade or partial shade in rich soil. X strong clumps ASTILBE biternata. False Goatsbeard. 3-5 ft. De- | .38 | .34 | .27 | .24 |
| ciduous, shade loving. Large compound leaves. Yellowish white flowers. X strong. BAPTISIA australis. Blue Wild-Indigo. 2 to 4 feet. Deciduous. Very showy plant with compound | .33 | .28 | .25 | |
| leaflets. Stems usually 2 to 3 feet tall, bearing at the summit long racemes of pea-shaped indigo blue flowers. Plant in dry sunny location. X strong. | .45 | .40 | .35 | |

| | 1-9 | | EACH 25-250 | 1000 |
|--|--------|--------|----------------|--------|
| BAPTISIA tinctoria. Yellow Wild Indigo. 2-3 ft. Deciduous. Stems erect, much branched. Flowers showy bright yellow June to August. Desirable for rock garden. Sunny location or partial X strong. | \$.26 | \$.24 | \$.20 | \$.16 |
| CAREX fraseri. Fraser Sedge. Evergreen, 10-18 in. Flowers whitish spikes March or April. Leaves large. Prefers shade in rich soil. Strong plants | .40 | .35 | .30 | |
| CAULOPHYLLUM thalictroides. Blue Cohosh. 2-3 ft. Deciduous. Leaves compounded. Several flowers in loose terminal panicle, greenish purple with yellow centers April and May. Fruit large blue showy berries. Dark shady places for best results. X strong. | .34 | .24 | .19 | .17 |
| CIMICIFUGA americana. American Bugbane. 2-4 ft. Deciduous. Panicled racemes, white showy fra- grant flowers, August to September. Showy di- vided leaves. Rich shady location. X strong | .35 | .25 | .18 | .16 |
| CIMICIFUGA racemosa. Cohosh Bugbane. Deciduous. 4-8 ft. Leaves divided. Flowers white in elongated wand-like racemes. Very showy, June and July. Moist shaded areas. X strong | .34 | .26 | .20 | .18 |
| COLLINSONIA canadensis. Citronella. Deciduous. 1-3 ft. Leaves opposite, large ovate toothed, pointed. Flowers yellowish, lemon scented, clus- tered loosely. Damp rich woods. X strong | .36 | .25 | .18 | .16 |
| pulse of the front of the first of the flowers solitary at ends of branches, greenish. Fruit red late summer. Shade. Strong | .34 | .30 | .26 | .21 |
| EPILOBIUM angustifolium. Blooming Sally. Deciduous. 1-3 ft. Leaves scattered, lance shaped, willow-like. Flowers purplish-pink in large racemes, July and August. Moist sunny location. | .35 | .26 | .24 | |
| EUPATORIUM urticaefolium. American Ageratum. Deciduous. 2-3 ft. Stem smooth, branching leaves opposite, broadly sharp toothed. Flower heads white, clustered. Late summer. Wood- lands and semi-shaded places. Strong | .34 | .28 | .25 | .20 |
| FRAGARIA VIRGINIANA, (Wild Scarlet Strawberry). Too well known to need description. Succeeds in rather dry location. Quality of fruit improved by transplanting. Strong Plants | .30 | .25 | .20 | .18 |
| GERANIUM maculatum. Wild Geranium. Deciduous. 1-2 ft. Erect hairy. Leaves five-parted, lobed and cut. Flowers large pale, pink-purple, April to August. Shade loving. Strong | .32 | .26 | .21 | .17 |
| GILLENIA trifoliata. Bowmansroot. Deciduous. 2-4 ft. Handsome cut foliage. Flowers pure white or rose-tinted in June. Splendid for massing among shrubbery. Shade or partial shade. | | | | |
| X strong | .35 | .30 | .25 | .21 |
| uous. 6-18 ins. Flowers purples in July. Shade or sunny location. Strong clumpy plants | .35 | .28 | .24 | .18 |





PODOPHYLLUM PELTATUM (See Page 4)


TIARELLA CORDIFOLIA (See Page 4)

| HYDRASTIS canadensis, Goldenseal, Deciduous, 10-20 ins. A medicinal herb of great value, Large basal leaves. Fruit in raspberry-like head. | 1-9 | PRICE 10-24 | | 1000 |
|--|-------------------|-------------------|-------------------|--------|
| Shade loving. Second size First size | \$.26 .40 | \$.22 .36 | \$.20 .34 | \$.16 |
| LIATRIS pycnostachya. Cattail Gayfeather. Deciduous. 3-5 ft. Long spikes of rose-purple flower heads. Aug. and Sept. Sunny location. Strong. | .36 | .27 | .25 | |
| LIATRIS scariosa. Large Button Snakeroot. Deciduous. 3-5 ft. Leaves alternate, narrowly lance shaped. Flowers beautiful shade of rose-purple. Dry sunny location. Strong plants | .35 | .30 | .26 | |
| LIATRIS spicata. Spike Gayfeather. Deciduous. 3-5 ft. Spike of purple flowers in August. Sun. Strong. | .34 | .28 | .23 | |
| MELANTHIUM VIRGINICUM. Bunchflower. Deciduous. 2-4 ft. Leaves long narrow. Flowers greenish yellow July and August. For moist shady location. Strong plants. | .36 | .28 | .25 | |
| MITELLA diphylla. Bishop's cap. Deciduous. 3-5 ins. Leaves heart-shaped, lobed and toothed. Flowers small white, April and May. Shade. X strong in normal times. Prefers rich well drained soil | .37 | .28 | .24 | .20 |
| PANAX quinquefolium. American Ginseng. Deciduous. 9-18 ins. Root large spindle-shaped, often forked. Flowers greenish white, fruit bright red berry. Medicinal plant, much in demand in China in normal times. Prefers rich well drained soil in shady location. Strong 1st size 2nd size XX Very largest size | .45 .25 .75 | .40 .20 .65 | .35 .15 .55 | |

| | 1-9 | | EACH 25-250 | 1000 |
|---|------------|------------|----------------|------------|
| PEDICULARIS canadensis. Wood Betony. Deciduous. Stems clustered 5-12 inches high. Leaves coarse fern-like. Flowers yellow and red, in short dense spikes, early spring. Shade or semi. X strong | \$.35 | \$.30 | \$.24 | \$.20 |
| PODOPHYLLUM peltatum. Common May Apple. 12-18 ins. Deciduous. Large light green leaves. Flowers white; one or two inches broad, nodding. Shady location. Strong. | .26 | .22 | .15 | .13 |
| POLYGONATUM biflorum. Small Solomon Seal. Deciduous. 1½-3 ft. Leaves alternate close to stems. Flowers yellowish, bell-shaped. June to July. Fruit dark blue berry. Shade or open location. Strong. | .27 | .23 | .18 | .14 |
| SAPONARIA officinalis. Bouncing-Bet. Deciduous. 1-2 ft. Leaves oval opposite. Flowers pink or white in clusters. Mid-summer. Open location. X strong | .28 | .24 | .20 | .16 |
| SMILACINA racemosa. False Solomon Seal. Deciduous 1½-3 ft. Leaves oblong, veiny. Flowers greenish-white in June. Fruit pale red speckled berries in August. Shade. Strong | .30 | .25 | .19 | .17 |
| SOLIDAGO canadensis. Canada Goldenrod. Deciduous. 5-7 ft. Flowers small, very numerous, in yellow flat heads. Sunny location. X strong | .32 | .25 | .22 | |
| SOLIDAGO odora. Fragrant Goldenrod. Deciduous. 2-3 ft. Yellow flowers Aug. and Sept. Dry, sandy location. Strong | .40 | .35 | .30 | .26 |
| STENANTHIUM robustum. Featherfleece. Deciduous. 2-5 ft. Flowers long delicate white. Late summer. Extremely ornamental and one of our finest perennials. Thrives in open damp, or dry situation. X strong. Second size | .40 .25 | .36 .20 | .32 .14 | .12 |
| STREPTOPUS roseus. Rosy Twistedstalk. Deciduous. 9-18 ins. Stems stout and zig-zag. Leaves pointed clasping. Flowers dull purplish-pink May and June. Fruit red, roundish, late sum- | | | | |
| mer. Shade. Strong | .34 | .26 | .22 | |
| to Sept. Sunny moist location. X strong THERMOPSIS caroliniana. Carolina Thermopsis. Deciduous. 3-5 ft. Flowers large yellow in terminal racemes May and June. Very showy for | .35 | .28 | .25 | .22 |
| Light plants | .25 .40 | .20 .34 | | .15 .26 |
| ous. 6-12 ins. Flowers white May and June. Shade. Strong | .36 | .28 | .25 | .23 |
| age and showy blue flowers. June and July. Shade-Semi. X strong. | .35 | .30 | .26 | |

| | 1-9 | | EACH 25-250 | 1000 |
|--|--------|--------|----------------|------|
| VERONICA virginica. Culver's Physic. Deciduous. 2-4 ft. Leaves whorled, lance-shaped, finely toothed. Flowers small white in slender spikes. Mid- summer. Open location. Strong | \$.34 | \$.26 | \$.23 | \$ |
| VIOLA blanda. Sweet White Violet. Deciduous. 2-4 ins. Flowers slightly fragrant. Early spring. Moist or dry open places, or shade. X strong. | .28 | .24 | .20 | .18 |
| VIOLA cucullata, Blue Marsh Violet, Deciduous, 6-10 ins. Blue flowers all summer, Semi-shade, X strong, | .30 | .22 | .18 | .15 |
| VIOLA hastata. Halberd-leaved. Deciduous. 4-6 ins. Flowers yellow, early spring. Strong | .27 | .21 | .19 | .16 |
| VIOLA rotundifolia. Yellow Roundleaf Violet. Deciduous. 2-4 ins. Flowers large yellow striped with purple, early spring. Leaves large prostrate, | | | | |
| shining. Strong. | .29 | .23 | .15 | .14 |
| VIOLA sagittata. Arrowleaf Violet. Deciduous. 4-8 ins. Deep blue flowers in May. Strong | .31 | .25 | .21 | .17 |
| ZYGADENUS muscaetoxicum. Crow-Poison. Deciduous. 1-2 ft. Long grass-like leaves. Flowers showy white in June. Shade or semi. X strong. | .33 | .24 | .21 | .18 |


SPECIAL OFFER: 100 Assorted Perennials, furnishing succession of flowers from early spring to fall, for only \$18.50. Selected for shady or sunny location, as desired.



ARUNCUS SYLVESTER (See Page 1)



MITELLA DYPHILLA (See Page 3)



HEPATICA ACUTILOBA (See Page 7)

Hardy Native Plants for Rock-Gardens and Naturalizing ALL BARGAIN PRICED

| MEE BIRGINI TRICED | | | | |
|--|---------------|------------|--------|----------------|
| | 4.0 | | EACH | |
| AQUILEGIA canadensis. American Columbine. Deciduous. 1-2 ft. Showy, cut leaves. Reddish flowers with scarlet-yellow inside in May and June. Splendid for rock garden. Shade or partial shade. X strong plants. | 1-9 \$.40 | | \$.30 | 1000 \$.24 |
| ARISAEMA triphyllum, Jack-in-the-Pulpit, Deciduous. 1-2 ft. Leaves generally two, each divided into three leaflets. Flowers conspicuous greenish white, early summer. Fruit bright scarlet berries. Shade loving. Rock gardens. X first size second size | .36 .20 | | | .24 .11 |
| ASCLEPIAS tuberosa. Butterfly Weed. 1-2 ft. Remarkable showy deciduous plant. Flowers disposed in numerous umbel-like clusters, very showy orange or red, in summer. Sunny location. Strong first size. | .45 .25 | .35 .20 | | .26 .16 |
| CAMPANULA divaricata. North Carolina Harebell. Deciduous. 1-2 ft. Delicate pale blue bell-shaped flowers in July. Sun or shade for rockery or border. Strong. | .36 | .28 | .25 | .22 |
| CHAMAELIRIUM luteum. Fairywand. Deciduous. 1-2 ft. A wand-like raceme of small white flowers in June. A dainty and showy plant for rock garden, sun or shade. Strong plants | .35 | .24 | .18 | .16 |

$\begin{array}{ccccc} \textbf{HARDY NATIVE PLANTS FOR ROCK-GARDENS AND NATURALIZING,} \\ & \textbf{continued} \end{array}$

| | 1-9 | | EACH 25-250 | 1000 |
|---|------------|-------------------|-------------------|------------|
| CLINTONIA borealis. Bluebead. Deciduous. 9-18 ins. Flowers greenish yellow. Thin glossy green leaves. Fruit dark oval, blue shining berry. Rock garden companion, moist crevices and pockets. Cool moist woods for best results. Strong. | \$.34 | \$.27 | \$.23 | \$.21 |
| CLINTONIA umbellulata. Speckled Clintonia. Deciduous. 8-15 ins. Oval pubescent green leaves at base. Flowers at top of stem, fragrant, spreading white. Fruit oval black shining berry. Rock garden companion. Moist rich location, in shade. Strong. | .33 | .25 | .22 | .20 |
| CONVALLARIA majalis. Lily-of-the-Valley. Deciduous. 6-9 ins. Soft green leaves. Flowers fragrant white. Prefers partial shade. Suitable for rock garden. X strong plants. | .30 | .24 | .20 | .16 |
| COREOPSIS lanceolata. Lance Coreopsis. Deciduous. 1½-3 ft. Free bloomer. Yellow flowers July and August. Sun or shady location. Rock garden subject. Strong | .36 | .30 | .24 | .20 |
| plant growing best in shade. Flowers white or faintly pink early spring. Strong | | .24 | .18 | .16 |
| DICENTRA cucullaria. Dutchman's Breeches. Deciduous. 9-18 ins. Leaves thrice compound. Flowers white and yellow in raceme, early spring. Strong plants. | | .26 | .22 | .17 |
| DICENTRA eximia. Fringed Bleeding Heart. Deciduous. 9-18 ins. Foliage graceful, fern-like. Flowers deep rose nodding, heart-shaped, blossoming from spring until autumn. Sun or partial shade. Natural rock garden plant. Heavy clumps | .65 .40 | .50 .35 .20 | .45 .28 .18 | .26 .17 |
| DODECATHEON meadia. Common Shooting Star. Deciduous. 9-18 ins. Flowers pink and showy, early summer, ground cover in moist shaded areas, succeeding also in dry sunny places. Splendid rock garden subject. Strong | | .26 | .23 | .20 |
| ERYTHRONIUM americanum. Common Troutlily. De- ciduous, 5-10 ins. Green mottled leaves. Flowers bright yellow, early spring. Shade or semi- shade. Rock garden. Flowering size | | .25 | .18 | .15 |
| GENTIANA andrewsi. Closed Gentian. Deciduous. 1-2 ft. Leaves opposite. Flowers blue to purple in Sept. Rock garden, shade or sun. Strong Strong 2nd size | .35 | .28 .18 | | .22 .13 |
| HEPATICA acutiloba. Sharp-lobed Hepatica. Ever- green. 6-8 ins. Leaves three lobed, mottled. Flowers lilac-white, pale purple, early spring. Ground cover, moist shaded places around home and rock garden. X heavy clumps | | .32 | .29 | .25 |

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|--|--------|----------------|----------------|--------|
| HEPATICA triloba. Round-lobed Hepatica. Evergreen. 6-9 ins. Leaves rounded, three lobed. Flowers blue, white or pinkish early spring. For massing in shady corner or open woods. Strong | \$.37 | \$.30 | \$.26 | \$.23 |
| HEUCHERA americana. American Alumroot. Evergreen. 1-2 ft. Leaves heart-shaped, large lobed, mottled bronze in early winter. Flowers greenish or purplish, long narrow clusters in June. Rock garden subject, shade or partial shade. | 0.5 | 90 | 95 | 0.1 |
| HEUCHERA villosa. Hairy Alumroot. Deciduous 9-18. ins. White flowers. A good rock garden sub- ject. Shade or partial sunny location. Strong | .35 | .28 | .25 | .21 |
| NARCISSUS. Daffold. Assorted Varieties. Flowers | .34 | .25 | .18 | .16 |
| yellow and white. Strong blooming size | .20 | .14 | .12 | .10 |
| POLYGALA senega. Seneca Snakeroot. Height about one foot. Flowers white or greenish. Sun or partial shade. Strong | .33 | .24 | .17 | .15 |
| POLYGONATUM commutatum. Great Solomon Seal. Deciduous. 2-5 ft. Gigantic species. Flowers drooping greenish white. June and July. Fruit dark blue pulpy berry. Shade or semi-shade. Rock garden subject. X heavy | .37 | .30 | .25 | .23 |
| SANGUINARIA canadensis. Bloodroot. Deciduous. 6-12 ins. Large pure white flowers, early spring. Leaves large leathery, appearing later. Rich soil, shade, rock garden in clumps. X strong | .34 | .26 | .18 | .16 |
| SAXIFRAGA michauxi. Michaux Saxifrage. Deciduous. 6-18 ins. Flowers white to pink, numerous, star-like. June. Rare mountain rock garden plant. Semi-shade. Strong | .36 | .32 | .27 | .25 |
| SILENE virginica. Firepink. Deciduous. 1-2 ft. Flowers large crimson or scarlet. Usually found in open woods and rocky hills. Splendid for rock garden. Strong plants | .35 | .27 | .24 | .21 |
| SISYRINCHIUM angustifolium. Pointed Blue-eyed Grass. 4-12 in. Leaves narrow grass-like. Flow- ers blue or purple, with yellow center. Suited for rock garden and varied conditions. Strong | | | | |
| plants STOKESIA leavis. Stokesia. Deciduous. 1-2 ft. Flowers large blue and white, resembling China Asters. Usually found in open woods and rocky hills. Splendid for rock garden. Strong plants | .34 | .28 | .23 | .20 |
| THALICTRUM dioicum. Early Meadowrue. Deciduous. 2-4 ft. Leaves divided into many smooth lobed pale drooping leaflets. Flowers purplish and greenish, May and June. Natural rock garden plant. Shade or semi-shade. X strong plants | .37 | .32 | .28 | .25 |
| | | | | |










Upper Left - TRILLIUM GRANDIFLORUM (See Page 10)

Upper Right - TRILLIUM UNDULATUM (See Page 11)

Lower Left — TRILLIUM ERECTUM (See Page 10)

Lower Right - TRILLIUM LUTEUM (See Page 11)







CLINTONIA UMBELLULATA (See Page 7)

HARDY NATIVE PLANTS FOR ROCK-GARDENS AND NATURALIZING, continued

| | 1-9 | | EACH 25-250 | 1000 |
|---|-------------------|-------------------|-------------------|-------------------|
| TRILLIUM cernuum. Nodding Trillium. Deciduous. 9-18 ins. Leaves large. Flowers white or pink in May. Shade. First size | \$.26 .13 | \$.22 .12 | \$.20 .10 | \$.18 .09 |
| TRILLIUM erectum. Purple Trillium. Deciduous. 9-18 ins. Leaves broadly ovate, three in whorls. Flowers single terminal, usually purplish-red. Early vigorous spring bloomer. Shade. May be | | | | |
| used in rock garden. XX largest size X strong first size Second size | .35 .25 .11 | .30 .20 .10 | .25 .18 .08 | .22 .16 .06 |
| TRILLIUM erectum album. Wax Trillium. Deciduous. 12-18 ins, Leaves large. Flowers white or pinkish, early spring. Shade loving. Strong first size Second size | .30 .15 | .20 .09 | .16 .08 | .07 |
| TRILLIUM grandiflorum. Snow Trillium. Deciduous. 9-20 ins. Finest and largest species. Flowers 3-4 inches across, white turning to rose color early spring. One of our finest spring bloomers for woodland border and rock garden. Shade or semi-shade. See picture on Front Cover. | | | | |
| XX largest size X strong first size Second flowering size | .35 .25 .15 | .30 .20 .10 | .26 .16 .08 | .15 .07 |

HARDY NATIVE PLANTS FOR ROCK-GARDENS AND NATURALIZING, continued

| | | PRICE EACH | | |
|--|------------|-------------------|---------------|---------------|
| | 1-9 | 10-24 | 25-250 | 1000 |
| TRILLIUM LUTEUM. Yellow Trillium. Deciduous. 6-10 in. Leaves large broadly ovate, dark spotted green. Flowers lemon yellow, early spring. Semi-shade. Border woodland, or rock garden. First size Second size | | \$.25 .12 | \$.18 .10 | \$.16 .09 |
| TRILLIUM SESSILE. Toad Trillium. Has no separate flower-stalk, its red or greenish blossom being set close to the stem leaves. Its petals are narrow and its leaves are often blotched or spotted. Its berry is globular, six-angled and red or purplish. First size | .30 .15 | .19 .10 .30 | .08 | .15 .07 |
| TRILLIUM stylosum. Rose Trillium. Deciduous. 10-18 ins. Desirable rare mountain species. Flowers large, rose pink nodding, early spring. Semi- shade, woodland border or rock garden. Strong first size Second size | .35 | | | .17 .05 |
| TRILLIUM undulatum. Painted Trillium. Deciduous. 8-15 ins. Strong vigorous grower. Flowers large, with scarlet and white markings. Fruit scarlet seed pod. Shade, border, woodland. Rock gar- den. XX largest size Strong first size Second size | .36 | | .17 | .16 .07 |







VIOLA CANADENSIS (See Page 12)


HARDY NATIVE PLANTS FOR ROCK-GARDENS AND NATURALIZING, continued

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|-------------|----------------|----------------|--------|
| UVULARIA grandiflora. Big Merrybells. Deciduous. 12-18 ins. Largest of the Bellworts. Thrives in damp rich shady situation. Flowers light yellow in early summer. Strong plants | \$.34 | \$.26 | \$.18 | \$.16 |
| UVULARIA perfoliata. Wood Merrybells. Deciduous. 9-18 ins. Slender stems. Leaves oblong. Flow- ers drooping bright yellow. May and June. Rock garden in shady locations. Strong plants | .30 | .25 | .21 | .18 |
| UVULARIA sessilifolia. Little Merrybells. Deciduous. 10-20 ins. Leaves sessile. Flowers yellow, May and June. Shade. Strong | .32 | .26 | .22 | .17 |
| VIOLA canadensis. Canada Violet. Deciduous. 9-18 ins. Leaves heart-shaped, pointed toothed. Flowers white veined with purple. May to July. Semi- shade. X strong clumpy plants | .36 | .32 | .25 | .22 |
| VIOLA pedata. Birdsfoot Violet. Deciduous. 4-8 ins. Leaves divided. Flowers numerous and large, lilac-purple, April to June. Rock garden com- panion. Sun or semi-shade. Strong first size Strong second size | .33 .17 | .25 .12 | .20 .10 | .18 |
| VIOLA pedata bicolor. Two color Birdsfoot Violet. 4-8 ins. Deciduous. Flowers velvety light blue and purple pansy-like in May. Rare beautiful species. Strong first size Second flowering size | .35 .18 | .30 .15 | .24 .12 | .10 |
| YUCCA filamentosa. Common Yucca. Evergreen. 3-6 ft. Large perennial. Flowers showy white, early summer. Rock garden subject. X strong clumps Second size plants | 1.00 .40 | .90 .36 | .80 .32 | .30 |
| XEROPHYLLUM asphodeloides. Turkey's Beard. Evergreen. 3-5 ft. Long grass-like leaves. Flow- ers attractive white, long spikes. Rock garden subject. Sun or semi-shade. X strong clumpy | | | | |
| plants | .45 | .35 | .30 | |

NOTE: Our Hardy plants are grown outdoors high up in the Blue Ridge Mountains, where mercury often goes to 10-20 below 0, with rarely any damage from weather conditions.

Hardy Native Orchids

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|------------------------------|---------------------------|----------------|-------------------|
| ALETRIS FARINOSA. Stargrass. Thin, lance-sh leaves, in a spreading cluster from the Grows two to three feet high, with small v flowers growing in a wand-like spiked rac Open location | root. white ceme. | \$.30 | \$ | \$ |
| APLECTRUM hyemale. Puttyroot. (Adam-and-I Evergreen. About a foot high. Flowers gree brown. Interesting. Prefers rich loam. Shao partial shade. Strong | enish de or | .36 | .32 | |
| CALOPOGON pulchellus. Grass-Pink Orchid. De ous. 12-18 ins. Grass-like foliage. Pink sl flowers early summer. Bog and water gar Sun or semi-shade. Also upland gardens. St flowering size | howy dens. trong | .40 | .35 | |
| CYPRIPEDIUM acaule. Pink Ladyslipper. Decide 6-15 ins. Leaves in clusters, flat on grand Flowers large bright, purple-pink, upright early spring. One of our most beautiful orces Shade loving. First size, 2-3 crowns each. Flowering second size Strong seedling plants XX heavy 4-6 crown clumps | ound. nt in chids. | .80 .40 .20 2.00 | .16 | .65 .25 .12 |
| CYPRIPEDIUM pubescens. Common Yellow Lady per. Deciduous. 12-20 ins. Downy leafy to leaves alternate. Flowers large, bright yellows. | vslip- top, ow in | | | |
| May and June. Rich soil, border, woodland rock garden. Flowering second size | l and 90 1.25 | .80 1.00 2.50 | | .65 .80 |



CYPRIPEDIUM SPECTABILE (See Page 14)



ORCHIS SPECTABILIS (Showy Orchid)



CYPRIPEDIUM PUBESCENS (Yellow Ladyslipper) (See Page 13)

HARDY NATIVE ORCHIDS, continued

| | 1-9 | | EACH 25-250 | 1000 |
|--|------------------------|-----------------------|----------------|------|
| CYPRIPEDIUM spectabile. Showy Ladyslipper. Deciduous. 1-2 ft. Stems downy. Leaves large oblong, pointed. Flowers white to rose colored. June and July. Extra strong grower in peat soils. Shade or semi-shade. Must be seen to be appreciated. Heavy clumps, 4-6 flowering size crowns, each | \$3.00 1.60 1.00 | \$2.75 1.40 .90 | 1.25 | \$ |
| plants | .45 | .35 | .30 | .26 |
| uous. 1 to 2 feet. Leaves oblong or lanceshaped. Flowers purple fragrant. Shade. Flowering size ORCHIS spectabilis. Showy Orchid. Deciduous. 6 to 12 inches. Leaves at base of stem ovate dark glossy green. Flowers violet purple, mixed with lighter purple and white. May and June. Shade | .75 | .65 | .55 | |
| loving. Strong | .45 | .35 | .30 | .25 |

Leaf-Mold - Nature's Plant Food

This is the food nature provides for Azaleas, Rhododendrons, Kalmias, Leucothoe, Andromedas, Hemlocks, Pines, Ferns, Lilies, Trilliums, Native Orchids, and Perennials. Leaf-Mold gives the proper acid elements to the soil, insuring the best root-systems, foliage, and flowers. Valuable for old or new lawns. Leaf-Mold is collected from old Rhododendron beds, without artificial or chemical treatment.

200 lbs.—\$3.50

Ton-\$32.50

Carload (20 tons) -\$625.00

NO DISCOUNT ON THIS ITEM



ADIANTUM PEDANTUM (Maidenhair Fern)

Hardy Native Ferns

PRICED LOW — QUALITY CONSIDERED

For shady locations, no class of plants can equal the Ferns. They are easily grown in ordinary soils and will often thrive where it is impossible to make flowering plants succeed. We handle large quantities of Ferns annually and recommend the following:

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|--|---------------|----------------|----------------|---------------|
| ADIANTUM pedatum. Maidenhair Fern. Deciduous. 12-18 ins. One of the most distinct and beautiful ferns. Prefers moist shady location. Strong clumpy plants | \$.45 .25 | \$.35 .20 | | \$.26 .12 |
| on cliffs and rocky soil. Semi-shade. Strong plants ASPLENIUM trichomanes. Maidenhair Spleenwort. Evergreen. Small delicate. Naturally grows among rocks and cliffs. Semi-shade. Strong | .45 | .34 | .32 | |
| plants | .40 | .32 | .28 | |
| cation. X heavy clumpy plants BOTRYCHIUM virginianum. Rattlesnake Fern. Decid- | .35 | .28 | .22 | .20 |
| uous. 6-12 ins. Triangular fronds. Deeply cut. Strong plants | .35 | .26 | .20 | .19 |
| base. Its manner of growth suggests steps. Pre- fers dry shaded rocks. Strong plants | .45 | .36 | .30 | |
| Tiny bulblets along underside of fronds. Shade or semi. Good for rockery. Strong plants | .36 | .30 | .25 | .22 |

HARDY NATIVE FERNS, continued

| | | PRICE | EACH | |
|---|--------|--------|--------|-----------|
| | 1-9 | 10-24 | 25-250 | 1000 |
| DICKSONIA punctilobula. Hayscented Fern. Deciduous. 1½-3 ft. Very handsome vigorous growing | | | | |
| species. Recommended for shade or open locations. Widely distributed. XX heavy clumps | \$.36 | \$.32 | \$.22 | \$.18 |
| DRYOPTERIS filix-mas. Male Fern. Almost ever- | | | | |
| green. 9-18 ins. Fine effects when massed. Shade. Strong plants | .34 | .31 | .25 | .23 |
| DRYOPTERIS goldiana. Goldie Fern. Deciduous. 2-3 | | | | |
| ft. Tallest and largest of our Wood Ferns. Easily cultivated. Shade or partial shade and | | | | |
| rich soil. X strong plants | .50 | .45 | .38 | |
| DRYOPTERIS hexagonoptera. Winged Woodfern. De- | | | | |
| ciduous. 12-18 ins. Triangular fronds. Sun or shade. Strong plants | .35 | .28 | .24 | .22 |
| DRYOPTERIS marginalis. Leather Woodfern. Ever- | .00 | .20 | .21 | 0 And And |
| green. 1-2 ft. A very common fern in wood- | | | | |
| land and cultivation. Shade or semi. Attractive species. X heavy clumpy plants | .36 | .30 | .25 | .24 |
| DRYOPTERIS spinulosa. Toothed Woodfern, Ever- | .00 | ,00 | .20 | .24 |
| green. 1-2 ft. Of easy culture in rich moist soil. | | | | |
| Shade or semi-shade. X strong plants | .34 | .28 | .24 | .21 |
| DRYOPTERIS thelypteris. Marsh Fern. Deciduous. 9-18 ins. Delicate fronds. Best suited to moist | | | | |
| open or semi-shade. Strong plants | .32 | .26 | .22 | .20 |
| LYGODIUM palmatum, Climbing Fern, Nearly ever- | | | | |
| green. 2-4 ft. The only fern with climbing stem found in United States. Leaflets heart-shaped. | | | | |
| Should be in every rare fern collection. Shade | | | | |
| or semi. Strong plants | .45 | .40 | .36 | |
| ONOCLEA sensibilis. Sensitive Fern. Deciduous. 9-18 | | | | |
| ins. Fronds very sensitive to early frosts. Pre- fers moist location in shade or sun light. Strong | | | | |
| plants | .36 | .30 | .22 | .18 |
| | | | | |



DRYOPTERIS MARGINALIS — Fern (Shown as Foundation Planting)

HARDY NATIVE FERNS, continued

| | 1-9 | | EACH 25-250 | 1000 |
|--|--------|--------|----------------|---------|
| OSMUNDA cinnamomea. Cinnamon Fern. Deciduous. 2-4 ft. X strong vigorous growing, suited to varied location. Shade or semi. X strong clumps | \$.35 | \$.30 | \$.25 | \$.22 |
| OSMUNDA claytoniana. Interrupted Fern. Deciduous. 1½-3 ft. Very bold, attractive species. Shade or semi. X strong clumpy plants | .37 | .32 | .26 | .23 |
| OSMUNDA regalis. Royal Fern. Deciduous. 2-4 ft. Naturally grows in swamps, shade and sunny locations. Very attractive foliage. X strong plants, clumpy | .40 | .36 | .30 | .26 |
| PELLAEA atropurpurea. Cliff Brake. Evergreen. 6-18 ins. Fronds clustered, leathery in texture. Grayish or blue-green. Prefers limestone cliffs and inaccessible places. Sun or semi. Strong plants | .45 | .40 | .36 | |
| POLYPODIUM vulgare. Common Polypody. Evergreen. 6-18 ins. Often covering ledges and boulders. Excellent for rockery. Semi-shade. Strong clumpy plants | .38 | .34 | .24 | .20 |
| POLYSTICHUM acrostichoides. Christmas Fern. 9-18 ins. Evergreen, and extremely ornamental for massing in shade, or partial shade. Extensively used in Florist trade. X strong clumpy plants | .35 | .30 | .22 | .17 |
| PTERETIS nodulosa. Ostrich Fern. Deciduous. 2-5 ft. Bold growing, usually along streams. Very orna- mental in moist shady location. X strong plants | .34 | .28 | .25 | |
| PTERIDIUM aquilinum. Bracken. Deciduous. 2-3 ft. Spreading compound fronds. Shade or sun. Strong plants | .33 | .22 | .16 | .11 |
| ciduous. 2-3 ft. Strong vigorous growing. Suited to moist shady location. Strong plants | | .26 | .24 | .22 |
| tial shade. Our selection X strong | | | | \$22.50 |



OSMUNDA CINNAMOMEA — Cinnamon Fern




CHELONE GLABRA (White Turtlehead)

Hardy Aquatic and Bog Plants

| | 1-9 | | EACH 25-250 | 1000 |
|---|-----|--------|----------------|-------------|
| ACORUS calamus. Sweet Flag. Hardy waterside plant, with sword-shaped, bright green leaves. Strong plants | | \$.28 | \$.25 | \$ |
| ARUNDINARIA TECTA. Small Cane grows in swamps and moist soil upland. Maryland to In- diana and Missouri, Florida and Texas. Flowers May to July. X strong clumps | | .65 | | • |
| ASTER novae-angliae. New England Aster. Stems 3-4 feet high, densely clothed with narrowly lance-olate leaves. Flowers violet-purple, very large and showy. One of the best of the native Asters. | | | | |
| Strong | .34 | .26 | .24 | |
| ASTER puniceus. Swamp Aster. Deciduous. 3-5 ft. Leaves narrow, lanceolate. Flowers light violet, Aug. and Sept. Sometimes pale or purplish. Moist sunny location or semi. X strong clumps | .36 | .30 | .25 | .21 |
| CALTHA palustris. Marsh Marigold. Deciduous. 6-15 ins. Leaves bright green, broadly heart-shaped. Flowers bright yellow in early spring. Very showy. Moist location, semi-shade. Strong plants | .35 | .32 | .24 | .22 |
| CHELONE glabra, White Turtlehead, Deciduous 11/6-3 | .00 | .04 | .44 | .44 |
| opposite, lance shaped, toothed. Flowers white or pinkish, July or Sept., in spike or clusters. Moist location. Shade or semi. Strong plants | .37 | .29 | .26 | .24 |
| CHELONE lyoni. Pink Turtlehead. Deciduous. 1-3 ft. Stems slender erect. Leaves lanceolate, with sharp toothed margins. Flowers red or rose. July to September. Moist location, shade or sun. | | | | |
| Strong plants | .36 | .28 | .25 | .2 3 |

HARDY AQUATIC AND BOG PLANTS, continued

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|--------|----------------|----------------|------|
| CICUTA maculata. Spotted Waterhemlock. Deciduous. 3-5 ft. Finely cut leaves. Flowers white in umbels in mid-summer. Moist location. Sun or shade. Strong plants | \$.34 | \$.25 | \$.20 | \$ |
| CORNUS canadensis. Bunchberry, Deciduous, 5-8 ins. Flowers white or yellowish. Bright red berries, in clusters, moist open location. Sun or shade. Splendid ground cover. Strong clumpy plants | .65 | .55 | .50 | |
| DIPHYLLEIA cymosa. Umbrellaleaf. Deciduous. 1-2 ft. Leaves large lobed. Flowers white terminal, May. Fruit showy purple in bunches. Prefers damp location, shade or semi. X strong plants | .40 | .35 | .30 | |
| EUPATORIUM purpureum. Joe-Pye-Weed. Trumpet Weed. 4-10 ft. Deciduous. Smooth purple stalks. Leaves in whorls. Flowers large purple heads borne on top. Found in moist meadows and along streams. Yields readily to cultivation in ordinary rich garden. Sunny location or semi. X strong plants | .36 | .32 | .26 | |
| HELENIUM autumnale. Sneezeweed. Deciduous. 3-5 ft. Leaves lanceolate or oblong. Flowers a blaze of gold, August and Sept. Damp sunny location. First size | .35 | .30 | .25 | .20 |







MERTENSIA VIRGINICA (See Page 20)

HARDY AQUATIC AND BOG PLANTS, continued

| | 1-9 | | EACH 25-250 | 1000 |
|--|-------------------|-------------------|-------------------|------------|
| HEMEROCALLIS fulva. Tawny Daylily. Deciduous. 2-4 ft. Foliage grass-like. Flowers tawny orange, late summer. For bogs and water gardens as well as upland. Sun and semi-shade. Strong clumps | | | | \$.14 |
| IRIS pseudacorus. Yellowflag. Deciduous. 2-4 ft. Leaves large sword-shaped. Flowers bright yellow May and June. A water loving plant as well as succeeding in dry upland. Sun or semishade. Strong plants | .35 | .28 | .24 | .22 |
| IRIS versicolor. Blueflag. Deciduous. 1-2 ft. Leaves flat sword-shaped. Flowers large and showy, violet-blue, varigated with green, yellow or white, late spring and early summer. Plant along brooks, marshes, and moist locations. Sun or semi-shade. Strong plants | .36 | .32 | .28 | .26 |
| tobella cardinalis. Cardinal Flower. Deciduous. 3-5 ft. Leaves alternate, narrow oblong. Flowers bright red July to September, along upper part of stalk. Will thrive in any garden soil or along borders or pond or brook. Rock garden. Sun or shade. X strong plants | .37 .25 | .34 .17 | .28 .14 | .25 .12 |
| LOBELIA syphilitica. Large Blue Lobelia. Deciduous. 1-3 ft. Flowers large blue tube shaped. Thrives best in moist location. Shade or sun. Strong plants Strong second size | .35 .23 | .32 .16 | .26 .12 | .24 .11 |
| MERTENSIA virginica. Virginia Bluebells. Deciduous, 1-2 ft. Leaves oblong, veiny. Flowers blue, pinkish in clusters, early spring. Thrives best in moist loamy soils, low meadows and along streams. Also in upland dry location. Sun or shade. | | | | |
| Second size | .24 .35 .50 | .18 .25 .40 | .15 .22 .35 | .12 .21 |
| MONARDA didyma. Oswego Beebalm. Deciduous. 2-4 ft. Leaves opposite, oval pointed, aromatic. Flowers bright red, clustered in close round head, July and August. Moist shady places. Strong plants | .34 | .30 | .26 | |
| PHYLLOSTACHYS aurea. Golden Japanese Bamboo. 10-20 ft. Excellent for low moist location. Tropical effect. Strong clumpy plants, cut-back to near the ground before shipment. X heavy Lighter grade | 1.40 | 1.30 | 1.20 | 1.00 |
| SARRACENIA flava. Trumpet Pitcherplant. Evergreen. 1-2 ft. Interesting bog plant, with trumpet-like leaves, yellowish green. Flowers large yellow. Peat bogs. Semi-shade. Strong plants. | .90 | .65 | .70 | .60 |

HARDY AQUATIC AND BOG PLANTS, continued

| | 1-9 | | $^{\rm EACH}_{25\text{-}250}$ | 1000 |
|---|------------|------------|-------------------------------|------|
| SARRACENIA purpurea. Common Pitcherplant. Evergreen. 6-15 ins. Leaves pitcher-shaped, broadly hooded. Flowers red, pink, or greenish, large nodding. Upland bogs and wet mossy places. Shade or semi. X strong plants | \$.85 | \$.75 | \$.70 | \$ |
| SAXIFRAGA virginiensis. Virginia Saxifrage. Deciduous. 4-12 ins. Leaves clustered, lettuce-like. Flowers white small clustered, April. Wet or moist locations. Shade or semi. Strong plants | .34 | .28 | .24 | |
| SYMPLOCARPUS FOETIDUS. Skunkcabbage. Deciduous. 1-2 ft. Leaves large heart-shaped. Flowers small mottled, purplish and greenish yellow. Early spring. Low wet woods, meadows and swamps. Shade or open location. Strong first size plants | .65 .35 | .55 .30 | .50 | |
| TYPHA latifolia. Common Cattail. Deciduous. 4-6 ft. Leaves long narrow, bright green sword-like. Flowers large brown spikes. Succeeds best in shallow water, marshes and swamp. Sun or semi. X strong | .36 | .30 | .25 | |
| VACCINIUM MACROCARPON. Cranberry 6-8 in. Evergreen. In the peat-bogs of our Northeast- ern states we may look in June for the pink nodding flowers and in late summer for the large red berries. X strong plants | .35 | .27 | .24 | .22 |
| VERATRUM viride. American Falsehellebore, Deciduous. 2-3 ft. Leaves broadly oval, pointed clasping. Flowers dull green clustered, June. Swamps and wet woods. Shade or semi. X heavy clumps Strong plants | .50 .36 | .40 .28 | .35 .25 | |
| VERNONIA noveboracensis. Common Ironweed. Deciduous. 3-5 ft. Leaves alternate. Flowers intense red-purple, loosely clustered, July and August. Low moist location, sun or shade. X strong clumpy | .34 | .30 | .26 | .21 |


MAXIMUM HEIGHTS GIVEN ALL THROUGH CATALOG INDICATE APPROXIMATE SIZES OF EACH AS FOUND IN WILD STATE.

ADD 15% TO PARCEL POST ORDERS. ANY EXCESS WILL BE RETURNED WHEN ORDER IS MAILED

This does not apply to plants over 2 ft. in height, nor B&B items.

ORDERS NOT ACCEPTED FOR LESS THAN \$3.00

5% Discount Allowed on Cash Orders \$5.00 and Over.







SHORTIA GALACIFOLIA (See Page 24)

Hardy Vines, Climbers and Creepers

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|----------------|-------------------|----------------|-------------------|
| AMPELOPSIS quinquefolia. Virginia Creeper. Deciduous. 25-75 ft. Clinging to walls and trees. Leaves usually divided into five leaflets, brilliantly colored in autumn. Flowers greenish, small clustered, July. Sun or shade. Strong plants | \$. 35 | \$.28 | \$.2 5 | \$ |
| BIGNONIA radicans. Trumpet Creeper. Deciduous. 10-30 ft. Bold growing, with interesting foliage and partially climbing habit. Flowers huge trumpet-shaped, varying from bright brownish orange to vivid scarlet. Varied conditions. X strong plants. 2-4 ft. | .45 | .40 | .36 | |
| CELASTRUS scandens. American Bittersweet. Deciduous. 10-25 ft. Woody, twining. Leaves alternate, oblong, finely toothed, pointed. Flowers small, greenish or cream colored in clusters in June. Pods orange-colored berries. Varied conditions. Sun or shade. | • 10 | .±0 | .50 | |
| X heavy 3-4 ft. clumps | .85 .40 | .75 .30 .55 | .65 .26 | .60 .24 .45 |
| CLEMATIS crispa. Curly Clematis. Deciduous. 3-6 ft. Graceful slender vine. Leaves compound, lobed or divided. Flowers purple nodding. Sun or | ,00 | .00 | •00 | • 10 |
| shade. Strong plants | .60 | .50 | .45 | |
| able Vine. Strong plants | .75 | .65 | .60 | |
| sun. X strong plants | .40 | .35 | .30 | .25 |

HARDY VINES, CLIMBERS AND CREEPERS, continued

| DIOSCOREA villosa. Yam. Deciduous. 4-8 ft. Climbing. Leaves large, turning to yellow in autumn. | 1-9 | | EACH 25-250 | 1000 |
|--|------------|------------|----------------|------------|
| Flowers pale greenish yellow late summer. Shade or semi. Strong plants | \$.35 | \$.27 | \$.24 | \$.22 |
| EPIGAEA REPENS Trailing arbutus. Evergreen. Ground cover. 4-12 ins. Leaves rounded, heart- shaped at base. Flowers white or pink, clus- tered, fragrant, early spring. Plant in humus soil, well drained shady location. X strong clumpy plants | | .55 | .50 | .45 |
| GALAX aphylla. Evergreen ground cover. 4-12 ins. Leaves broadly heart-shaped, shallow toothed, green or bronze, according to location sun or shade. Shade or partial shade. Flowers creamy white spike, early summer. X strong clumps | .36 | .30 | .22 | .20 |
| GAULTHERIA procumbens. Wintergreen. Ground cover. 3-6 ins. Leaves oval shining. Flowers white or pinkish, July. Fruit bright red berry, edible in winter. Shade or semi. X strong clumps | | .28 | .25 | .22 |
| HOUSTONIA serpyllifolia, Creeping Bluets, Deciduous, 4-6 ins, Leaves ovate or roundish, Flowers blue or white, spring and early summer. Border and rock garden. Sun or semi. Strong clumpy plants | .34 | .30 | .24 | |
| IRIS cristata. Crested Iris. Deciduous. Ground cover. 4-6 ins. Leaves bright green, lanceolate. Flowers blue, with orange. Early spring. Splendid for varied conditions. Shade or semi. X strong clumps | .35 | .25 | .23 | .21 |
| clumps Light plants flowering size IRIS siberica. Siberian Iris. Deciduous. 1-2 ft. Leaves slender green. Flowers lilac-blue. Suitable for rock garden, massing or border. Strong plants | .18 | .12 | .30 | .09 |
| IRIS verna. Vernal Iris. Evergreen. 4-8 ins. Leaves narrow, sea-green. Flowers violet-blue, with yellow center. Early spring. Shade or semi. Strong clumps | .34 | .28 | .25 | .20 |
| LONICERA JAPONICA HALLIANA. Hall's Honey- suckle. Very strong-growing vine. Fragrant white and yellow flowers in summer and autumn. Best for trellises and ground cover. | | .20 | .20 | .20 |
| Strong second size plants X strong first size | .25 .35 | .20 .30 | $.16 \\ .25$ | .14 .22 |
| MITCHELLA repens. Partridge Berry. Evergreen. Ground cover, 3-6 ins. Leaves rounded, veined with white. Flowers white or pinkish. Fragrant. Spring and early summer. Fruit bright red berries. Shade or semi. X heavy clumpy plants | .35 | .29 | .26 | .24 |
| NEPETA HEDERACEA (Glechoma) Ground-Ivy. Small low, thick growing plants, with light blue flowers in early spring. It creeps extensively and desirable for covering moist banks and a good rock-garden subject, for semi-shade. First size | .32 | .25 | .24 | |
| | | | | |

HARDY VINES, CLIMBERS AND CREEPERS, continued

| | 1-9 | | EACH 25-250 | 1000 |
|--|-----------------|-------------------|-------------------|-------------------|
| PACHYSANDRA terminalis. Japanese Pachysandra. Evergreen. Ground cover. 6-9 ins. Flowers white terminal, spring. Useful for bordering walks and drives. Shady location. X strong plants | | | \$.24 | \$.22 |
| RANUNCULUS repens. Creeping Buttercup. Deciduous. 4-8 ins. Leaves frequently white, varigated or spotted. Flowers deep yellow, early spring. Low wet or moist ground. Semi-shade. Strong plants | .33 | .25 | .20 | .18 |
| PHLOX stolonifera, Creeping Phlox. Nearly evergreen. 4-12 ins. Creeping, Flowers reddish-purple early spring. Semi-shade. Strong plants | .35 | .28 | .22 | .20 |
| PHLOX subulata. Moss Pink. Evergreen ground cover. 4 to 8 ins. Leaves narrow. Flowers crimson, pink or nearly white. April to June. Most excelent border and rock garden plant. Sun or semi. Strong plants | 40 | .35 | .30 | |
| POTENTILLA TRIDENTATA. Wineleaf Cinquefoil. Evergreen. 4-8 ins. Splendid Creeper. Leaves glistening taking on brilliant bronze autumn coloring. Flowers strawberry-like in summer. Splendid for rock garden. Strong clumpy plants | .36 | .30 | .27 | |
| SEDUM telephoides. Wild Liveforever. Evergreen. 6-12 ins. Leaves fleshy. Flowers numerous, flesh colored, August. Natural rock garden plant and other dry sunny locations. Strong clumpy plants | .35 | .28 | .25 | |
| SEDUM ternatum. Mountain Stonecrop, Deciduous. 2-4 ins. Handsome creeping ground cover. White flowers in early spring. Natural rock garden plant. Shade or semi. Strong clumpy plants | .32 | .25 | .22 | .20 |
| SHORTIA galacifolia. Oconee-Bells. Rare evergreen ground cover. 3-6 ins. Leaves bright green, re- sembling Galax. Flowers dainty creamy-white, bell-shaped, March and April. Requires moist shady location. Historic and worthy of consider- | 22 | ~0 | 4- | 40 |
| ation by all planters. X strong clumpy plants Medium size plants | .60 .30 | .50 .25 | .45 .22 | .40 .21 |
| VINCA minor. Common Periwinkle. Evergreen ground cover, and rockery. Sun or shady location. X heavy solid grown clumps Strong first size plants Light plants for growing on | .35 25 12 | .26 .20 .10 | .21 .14 .06 | .20 .13 .05 |
| WISTERIA FRUTESCENS. (Speciousa) American Wisteria. Tall and slender vine with dark green foliage, growing naturally from Virginia to Florida. Leaves compound, consisting of 9-15 leaflets producing an airy light shade. Flowers Lilac-purple in numerous dense short racemes, blossoming about three weeks later than the | | | , | |
| Chinese wisteria. Very heavy clumpy plants 100 EVERGREEN GROUND COVERS. Strong assorte for shady location. Our selection | А | 1.00 | | \$21.00 |



NATURAL PLANTING OF RHODODENDRON CATAWBIENSE (See Page 26)

Rhododendrons

EXPLANATION: B&B indicates carefully dug with solid ball of earth securely wrapped in burlap.

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|--------------|----------------|----------------|------|
| RHODODENDRON carolinianum. Carolina Rhododendron. Evergreen 4-7 ft. A distinct hardy species of the Blue Ridge Mountains. Leaves dark green, dotted beneath. Flowers in May. Rose-pink. Funnel shaped great profusion in many flowered clusters. Recommended for massing on hillsides and in rockeries. Sun or shade. 3-6 in. strong Strong established roots, cut back B&B | | 1.80 3.75 | 1.60 3.50 | |
| RHODODENDRON carolinianum album. White Carolina Rhododendron. Dwarf, early-blooming variety from Piedmont Section. Rare and most beautiful. 1½-2 ft. Heavy clumps B&B | 5.00 6.00 | 4.70 5.60 | | |
| Cut-back collected clumps (Roots) B&B | 2.50 | 1.75 | 1.50 | |


| RHODODENDRONS, continue | ed 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|--|---|--|------------------------------|
| RHODODENDRON catawbiense. Catawba Rhododen- dron. Evergreen 6-18 ft. Leaves large oval or oblong. Bright green above, clustered at ends of branches, glaucus beneath. Flowers very large, reddish to rose-purple. Late spring and early summer. Sun or shady location. | | | | |
| 4-6 in. strong stocky plants | \$.60 1.00 1.60 3.75 4.00 5.50 | \$.50 .90 1.50 3.50 3.75 5.00 | \$.40 .80 1.25 3.25 3.50 | \$.35 3.00 |
| RHODODENDRON maximum. Rosebay. Evergreen 8-25 ft. Leaves oblong, dark green, 6-10 in. in length. Flowers white to pinkish in large clusters, mid-summer. Most used for massing and naturalistic planting of all native broad-leaved evergreens. Sun or shade, 4-12 in. Strong seed- | | | | |
| ling plants 4-6 in. Strong established plants 6-12 in. X strong established plants X strong cut back established roots for grow- | .25 .40 .60 | .20 .35 .50 | .15 .30 .40 | .12 .25 .35 |
| ing on, B&B 1-1½ ft. X heavy clumpy plants, B&B | 1.50 1.75 3.50 4.25 6.00 7.50 | 1.25 1.50 3.00 4.00 5.50 7.00 | 1.10 1.60 2.75 3.75 5.00 6.50 | 1.00 1.40 2.50 3.50 |
| RHODODENDRON MINUS. (Punctatum) ROSY PINK Piedmont Rhododendron. 4-8 ft. A desirable shrub. Leaves acute at both ends 1½-4 in. long. Naturally distributed North Carolina to Ga. and Ala. Flower about one inch across, rosy-pink June and July. Plants not as compact as some others, but very attractive and should have a place in any Rhododendron collection. 1½-2 ft. X quality clumps B&B | ; | 3.50 | | |
| Cut-back clumps B&B | 2.50 | 2.35 | | |

Cultural Directions for Azaleas, Broad-leaved Evergreens, and Similar Plants

Azaleas, Kalmias, Leucothoe, Pieris and Rhododendrons are acid-soil plants and will not succeed well in limestone soils. A deep, porous soil is essential. The ground should be excavated to a depth of about 2 feet, working in leaf-mold, humus, or well-rotted stable manure. This mixture must be worked in carefully and packed tight around the roots. Fill in the excavation with rotted sods, muck or peat soil, mixed with a small quantity of sand.

The plants should be set the same depth as in the nursery, which is shown by the earthline near the base. After planting, mulch with several inches of leaves or light litter, allowing this mulch to remain around the plants, and renew it annually in the autumn. A thin covering of rich soil may be used to advantage in holding mulch in place and to assist in the decomposition. The mulch also tends to keep the soil cool in summer and protects against freezing in winter. If these simple instructions are observed, your planting of Broad-leaved Evergreens will be entirely successful.

For use in beds of Rhododendrons, Azaleas, and other similar plants we recommend the following: Galax, Shortia, Ferns, Orchids, Lilies, Trilliums, Cimicifuga, Iris, Polygonatums, Sanguinarias, and most of our other perennials.



Mountain Laurel

KALMIA latifolia, Mountain Laurel, Evergreen, 8-20 ft. This matchless Laurel is without question one of the most beautiful and attractive broadleaved evergreen shrubs on account of its dark green lustrous foliage and masses of glorious pink or rose colored flowers, appearing in lavpink or rose colored flowers, appearing in lavish profusion in late spring and early summer.

Succeeds under varied conditions. Shade or sun 6-12 in. X strong established plants \$.70 1-1½ ft. Heavy clumps, B&B \$3.00 1½-2 ft. XX heavy clumps, B&B \$4.50 3-4 ft. XX heavy clumps, B&B \$5.50 4-5 ft. XXX heavy clumps, B&B \$7.50 4-5 ft. XXX heavy clumps, B&B \$7.50 4-10 in Strong seedling plants \$2.55 \$.60 \$.50 \$.45 2.502.25 2.00 2.75 3.25 3.00 4.00 3.50 3.25 4.75 5.00 6.756.00 .20 .15 .121.25 1.10 1.00 200.00

ALL OUR NURSERY STOCK IS GUARANTEED

TO BE AS REPRESENTED,

GOOD QUALITY AND TRUE TO NAME.

BEST PACKING.

VISITORS ALWAYS WELCOME.

Native Lilies for Naturalizing or Specimens

| | 1-9 | | EACH 25-250 | 1000 |
|--|--------------------------|-------------------|--------------------------|--------------------------|
| LILIUM canadense. Canada Lily. Deciduous. 2-5 ft. Leaves whorled, lance-shaped. Flowers in various shades of orange, yellow and red, July and August. Succeeds in varied locations. Sun or semi. Flowering size | .34 .50 | \$.30 .40 | \$.25 .36 | \$.20 |
| LILIUM carolinianum. Carolina Lily. A showy Lily somewhat dwarfer than L. Superbum, with flowers a little lighter in color, but enriched with a delicate and pervasive fragrance. XX largest First size | .75 .50 .35 | .60 .40 .22 | .35 .18 | |
| LILIUM grayi. Grays Lily. Deciduous. 2 to 5 feet. Flowers 1 to 6 deep reddish bell-shaped, orange spotted within, June and July. Damp moist locations. Sun or semi-shade. First size | .50 .30 | .40 .22 | .35 .20 | |
| LILIUM philadelphicum. Orangecup Lily. Deciduous. 1-3 ft. Leaves whorled or scattered. Flowers orange red with purple spots. July and August. Plant among ferns and varied locations as desired. Shade or open locations. First size | .45 .30 | .35 .25 | .32 .20 | |
| LILIUM SUPERBUM. American Turkscap Lily. Deciduous. We are extreme Headquarters for this unmatched Lily. Enabling us to offer at very low prices, making it available for naturalizing in quantity. Unquestionably one of the most satisfactory Lilies for varied locations. In the garden, meadows, woodlands, rough or wild parts of grounds, where it will take care of itself without any attention after planting. It will also thrive in wet or swampy places. It is a grand Lily, often growing over 8 ft. high, producing 3-40 beautiful orange-red flowers from single bulb in July when other flowers are scarce. X First size | .45 .30 .15 .70 | .35 .18 .07 | .28 .14 .06 .50 | .24 .12 .05 .45 |


FALL PLANTING SEASON begins in August and extends usually till about December 1, according to weather conditions.

SPRING SHIPMENTS are forwarded according to customers' wishes and subject to conditions beyond our control, March 1 to May 15. PLEASE ORDER EARLY.

WE SHIP all winter according to weather and locality served. Send Us Your Want List for Quantity Quotations—Ask for Quantity Discounts.




IRIS CRISTATA (Crested Iris)
(See Page 23)



LILLIUM SUPERBUM (See Page 28)



CORNUS FLORIDA (White Dogwood — See Page 33)







VIBURNUM ALNIFOLIUM (See Page 36)

Hardy Native Deciduous Trees and Shrubs

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|--|------------------------------|------------------------------|--------------------|------|
| ACER rubrum. Red Maple. Deciduous. 80-100 ft. Leaves 3 to 5 lobed, red in autumn. Flowers rich crimson or scarlet, early spring. Splendid shade tree. Varied locations. 3-4 ft. | \$2.00 | \$1.70 | \$1.50 | |
| 4-6 ft | 3.50 | 2.75 | 2.40 | |
| ACER PENNSYLVANICUM. Striped Maple. Deciduous 25-50 ft. Leaves three lobed, pale rose colored when unfolding, clear yellow in autumn. Flowers bell-like in May. Bark dark green striped with broad pale lines. Hardy and desirable for general planting, 6-12 in | .45 .80 1.25 | .40 .70 1.10 | .36 .65 1.00 | |
| ACER SPICATUM. Mountain Maple. A shrub or bushy tree with upright branches. Twigs bright red in winter, leaves 3 lobed, bright green, turning in autumn to shades of orange. 2-3 ft. | .65 | .50 | | |
| 3-4 ft. | .90 | .80 | | |
| ACER saccharum. Sugar Maple. 75-100 ft. Handsome rapid-growing tree for general use. Splendid fall coloring. 2-3 ft. 3-4 ft. 4-6 ft. 6-8 ft. | 1.50 2.35 3.50 4.25 | 1.35 2.25 3.25 4.00 | 1.20 2.00 | |
| AESCULUS OCTANDRA. Yellow Buckeye. Deciduous. 60-100 ft. Large, vigorous foliage. Flowers cream colored, early spring. 2-3 ft. strong seedlings | .75 | .65 | .60 | |
| | | | | |

| | 1-9 | | EACH 25-250 | 1000 |
|---|------------------------|--|---------------------------|------|
| AMELANCHIER laevis. Serviceberry. Deciduous. 25-50 ft. Leaves alternate, oval or oblong. Flowers snow-white in early spring. Fruit showy red, | | | | |
| edible, July, Varied locations | \$5.50 | \$5.00 | \$ | \$ |
| ous. 4-10 ft. Splendid shrub. Flowers white, Bright red berries attractive to birds. 1-2 ft ARONIA melanocarpa. Black Chokeberry. 4-10 ft. | .75 | .65 | .60 | |
| Splendid shrub. Flowers white, berries black, attractive to birds. Sun or shade. 1-2 ft2-3 ft | .70 1.00 | .60 .90 | .55 .80 | |
| 3-4 ft. X strong | 1.50 | 1.35 | 1.25 | |
| Cut-back clumps for growing on | $2.50 \\ 4.75 \\ 6.00$ | 2.25 4.00 5.60 | $\frac{2.00}{3.75}$ | |
| beautiful and varied species. Flowers red- orange to canary. Conspicuous in early summer throughout the Carolina mountains. Much used for massing and naturalistic plantings. Shade or sunny locations. | | | | |
| 1-1½ ft. X heavy clumps, B&B | 5.00 | 3.00 3.70 4.75 | 2.75 3.25 4.00 | |
| 3-4 ft. XXX heavy clumps, B&B | 8.00 | 5.00 6.50 7.50 1.75 | 4.75 6.00 7.00 1.50 | |
| free flowering shrub. Flowers in early spring, before the leaves appear, deep pink, profuse and very showy. The extreme earliness and beauty of the flowers commend this fine shrub to plant- | | | | |
| ers everywhere. Shade or sunny location. 3-4 ft. XXX heavy clumps, B&B | 4.70 3.50 2.25 | $\frac{4.50}{3.25}$ $\frac{2.00}{2.00}$ | 1.75 | |
| AZALEA vaseyi. Pink-shell Azalea. A distinct and remarkable free-flowering hardy shrub of extreme rarity and beauty. The flowers are an exquisite shade of pink or rose and appear in profusion before the leaves unfold in early spring. In autumn the foliage assumes deep rich shades of | 2.20 | 2.00 | 1.10 | |
| red and crimson. Succeeds in varied locations. Shade or sun. 12-18 in. seedling plants | 1.25 3.50 5.50 | 1.00 3.25 5.00 | | |
| Strong plants, 6-12 ins. X strong plants | 1.20 3.25 2.50 | 1.00 3.00 2.25 | .90 2.80 | |

| | 1-9 | | EACH 25-250 | 1000 |
|---|------------------------------|------------------------------|----------------|------|
| BETULA lenta. Sweet Birch. 60-90 ft. Foliage shining green, twigs and bark fragrant. A good tree for general planting. 2-3 ft. 3-4 ft. 4-6 ft. | \$1.25 3.25 4.25 | \$1.10 3.00 3.75 | \$1.00 | \$ |
| BETULA lutea. Yellow Birch. 50-75 ft. Yellowish silvery bark and thin finely cut leaves. Desirable for general planting. 2-3 ft. 3-4 ft. 4-6 ft. 6-8 ft. | 1.40 2.50 3.50 5.50 | 1.25 2.25 3.25 5.00 | | |
| BETULA papyifera. Canoe Birch. 60-80 ft. Bark dull, chalky white. Leaves ovate, irregularly toothed, yellow in autumn. Graceful ornamental tree from the North. Desirable for general planting. 1-2 ft. | .75 1.25 | | | |
| BETULA POPULIFOLIA. Gray Birch. A small or medium sized tree with papery white bark and slender pendulous branches. A graceful tree recommended for poor up-land planting. 2-3 ft. 3-4 ft | .90 | .80 | | |
| 3-4 ft. CASTANEA pumila. Chinquapin. 8-25 ft. Leaves oblong-oval, coarsely toothed, bright green, turning to dull yellow in autumn. Flowers showy May and June. Fruit usually solitary, edible. Sun or shade. 2-3 ft. B&B 3-4 ft. X heavy B&B | 2.25 | 2.00 | | |
| CHIONANTHUS virginica. White Fringetree. 10-25 ft. Leaves ovate dark green turning yellow in early autumn. Flowers appearing when leaves are about grown, white in loose drooping panicles, feathery and graceful. Fruit blue berries. Varied locations | 3.50 | 3.25 | | |
| 6-12 in. strong plants | .65 .80 | .50 .75 | .45 .70 | |
| CLETHRA alnifolia. Summersweet, 3-5 ft. Leaves dark green and lustrous, fading with yellow ones. Flowers creamy white, fragrant, in erect panieled racemes. July. Succeeding in varied lo- | | | | |
| cations. Very desirable. Strong plants 1-2 ft. 2-3 ft. X strong plants | $\frac{1.00}{1.35}$ | $\frac{.85}{1.25}$ | .80 1.15 | |
| COMPTONIA asplenifolia. Sweetfern. 1½-3 ft. Branched: Leaves narrow, divided and fragrant, fern-like. Flowers brownish. For dry upland. Sun or shade. | | | | |
| Strong plants, 1½-2 ft. 2-3 ft. Strong plants | .65 .90 | | .40 .65 | |

ORDERS FILLED IN ROTATION AS RECEIVED
PLEASE ORDER EARLY TO AVOID POSSIBLE DISAPPOINTMENT

PRICE EACH 1-9 10-24 25-250 1000 CORNUS florida. Flowering Dogwood. 15-30 ft. Leaves oval, bright green, turning red or scarlet in

 oval, bright green, turning red or scarlet in autumn. Flowers large white tinged with pink, expanding in early spring. Fruit bright red scarlet. Suitable for varied locations.
 \$1.25
 \$1.00

 2-3 ft. X strong plants
 2.80
 2.60

 3-4 ft. X heavy plants
 3.50
 3.25


 6-8 ft.
 8.50
 8.00

 8-10 ft.
 10.00
 9.00

 \$.90 2.40 3.00 7.50 8.50 10-14 ft. 14.00 CORNUS FLORIDA RUBRA. Redflowering Dogwood. 20-30 ft. A strikingly beautiful form, especially when planted in contrast with the white flowering dogwoods. 2-3 ft. 3.75 3-4 ft. 6.75 6.50 4-5 ft. CORNUS nuttali. Pacific Dogwood. Tree 60-80 ft. Leaves 4-5 inches long. Flowers white or tinged pink; 4-6 in. Fruit bright red or orange. Recommended only for mild climate.
X strong 4-6 ft. B&B
X strong 6-8 ft. B&B 3.50 4.00 6.00 CRATAEGUS COCCINEA. Thicket Hawthorn. 10-25 ft. Shrubby habit with long curved spines and oval shaped leaves. Large white flowers and large dull red fruit in autumn. Newfoundland to Minnesota and Southward. 1-2 ft.75 .75








HYDRANGEA PANICULATA GRANDIFLORA
(See Page 34)

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|--------------------|----------------------|----------------------------|--------------------|
| CRATAEGUS PRUNIFOLIA. Plumleaf Hawthorn. Deciduous. 20-30 ft. Very handsome. Brilliant scarlet fruit and lustrous leaves, turning bright orange or scarlet in autumn. General conditions. 1-2 ft. strong | \$.65 .85 | \$.50 .75 | \$.4 5 .6 5 | \$ |
| CYTISUS SCOPARIUS. Scotch Broom. 4-8 ft. A strange and interesting shrub with long slender green-barked branches. Thrives in almost any well-drained soil, preferring sunny situations. The bright yellow flowers which bend the branches by their weight and great profusion, illuminate like sunshine, the verdure of the almost leafless shoots which bear them. Try this pretty plant, it is unique. 1-2 ft. B&B | | | | |
| 1-2 It. B&B 2-3 ft. B&B 3-4 ft. B&B | 2.50 | .80 2.25 3.25 | $\frac{2.00}{3.00}$ | |
| DIERVILLA sessilifolia. Southern Bush Honeysuckle. 4-6 ft. Spreading branches. Leaves bright lustrous green. Flowers yellow in terminal clusters. Attracting bees, July. Sun or partial shade. | | | | |
| 1-2 ft. Heavy clumpy plants | $\frac{.75}{1.25}$ | 1.00 | .55 .90 | |
| HYDRANGEA PANICULATA GRANDIFLORA. Large-panicled Hydrangea. Hardy, tall shrub with creamy white flowers and dark green leaves. Splendid for mass planting or single specimens. Very popular. 2-3 ft. X heavy | 3.75 | 2.50 3.50 1.50 | 2.25 | |
| HYPERICUM BUCKLEYI. Mountain St. Johnswort. Evergreen. Flowering June-July. Showy yellow flowers. Very rare, prostrate Species. Highly recommended for borders and Rock Gardens for open locations. 9-12 in. Strong clumpy plants | 1.80 | 1.65 | | |
| HYPERICUM densifiorum. Common St. Johnswort. 3-5 ft. Handsome shrub. Leaves narrow, dark green. Flowers bright yellow numerous compound clusters. July. Varied sunny locations, or semi. Strong plants, 1-2 ft. 2-3 ft. Strong clumpy plants 3-4 ft. X Strong clumpy plants | 1.25 | .65 1.00 1.40 | .55 .85 1.20 | .50 .80 1.10 |
| HYPERICUM prolificum. Shrubby St. Johnswort. 2-4 ft. Vigorous hardy shrub. Compact branches. Leaves dark green. Flowers bright yellow in terminal clusters. Late summer. Sun or shade. | | | | |
| 1-2 ft | 1.00 | .70 .85 1.10 | .65 .75 1.00 | .55 .70 .90 |

| | | , | | |
|--|----------------------|----------------------|----------------|------|
| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
| ILEX MONTICOLA. Mountain Winterberry. 15 to 35 ft. A deciduous small tree with slender spreading branches, forming a narrow pyramidal crown. Leaves ovate, bright green, fading in autumn with tones of yellow. Berries showy scarlet. Recommended for bird sanctuaries, border, lawns and Naturalistic plantings. 3-4 ft. | \$2. 50 | \$ | \$ | \$ |
| ILEX VERTICILLATA. Common Winterberry. Brilliant holly-red berries after first heavy frosts. Extensively used for Christmas and Thanksgiving decorations. Good for naturalizing in varied locations. 1-2 ft | 1.25 1.75 2.50 | 1.00 1.60 2.25 | .90 | |
| MAGNOLIA ACUMINATA. Cucumbertree. 60-100 ft. Pyramidal tree, with spreading branches. Leaves oblong, bright green, turning yellow in autumn. Flowers greenish yellow, bell shaped. Fruit rose red cucumbers. Recommended for varied locations. 5-6 ft. X specimens | 5.75 | | | |
| MAGNOLIA FRASERI. Fraser Magnolia. Handsome tree, spreading or ascending branches. Grows naturally in the Carolina mountains. Leaves deciduous, bright green. Flowers creamywhite, sweet scented. Fruit 3-4 inches long, rose-red. A hardy tree of great merit. 1-2 ft | | 1.00 1.80 2.45 | | |
| OXYDENDRUM arboreum. Sourwood. 30-50 ft. Leaves lanceolate, bright green, fading in autumn, with dazzling tones of scarlet. Flowers pure white, slightly fragrant, resembling Lily-of-the-Valley. General conditions. 1-2 ft X strong trees 2-3 ft. 4-6 ft. X strong trees | 1.30 | .50 1.10 3.00 | .45 1.00 | |
| QUERCUS coccinea. Scarlet Oak. 60-140 ft. A beautiful symmetrical tree. Leaves mostly seven lobed, divisions toothed, green turning to scarlet in autumn. General conditions. 1-2 ft | .65 | .55 | .50 | |
| RHODORA canadensis. Rhodora. 2-3 ft. Closely resembles Azalea. Flowers lavender early spring before the leaves unfold. Very desirable shrub. Sun or shade. 1-2 ft. strong | 2.00 | 1.80 | 1.70 | |
| RHUS copallina. Shining Sumac. 10-25 ft. Desirable shrub. Leaves compound, dark green lustrous, fading in autumn to ruddy brown. Flowers brilliant red in late summer. Fruit bright red ber- | | | | |
| ries in autumn. Sun or shade. 2-4 ft. X strong plants | $1.15 \\ 1.40$ | $\frac{1.00}{1.25}$ | .90 1.00 | |

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|-------------------------------------|-------------------------------------|---------------------|------------|
| RHUS typhina. Staghorn Sumac. 10-35 ft. Large tropical looking species. Leaves pinnate, narrow pointed, dark green above, pale to white beneath. Scarlet purple in autumn. Flowers inconspicuous greenish, in dense clusters. June. General conditions. 4-6 ft | PO 75 | 60. FO | #0.0F | |
| ROBINIA hispida. Rose Acacia. 3-5 ft. Leaves compound, bright green. Flowers rose colored, very showy, in loose, nodding racemes, May and June. Sun or shade, general conditions | | \$2. 50 | , | \$ |
| 1-2 ft. Strong | .65 .75 | .55 .60 | .45 .50 | .40 .46 |
| ROSA SETIGERA. Prairie Rose. Deciduous. 5-12 ft. A profusion of beautiful rose-pink flowers in June, sometimes covering the ground or walls. Sun or semi. X heavy plants 3-4 ft | 3.25 1.40 .85 | 1.25 .75 | | |
| RUBUS odoratus. Flowering Raspberry, 3-6 ft. Vigorous upright shrub with large leaves resembling those of the Maple. Flowers rose-purple. Berries light red, edible. Sun or shade. 1-2 ft. Strong plants | .65 | .55 | 50 | |
| SORBUS americana. American Mountain Ash. 15-45 ft. Small tree with spreading branches. Leaves compound, dark green, turning yellow in autumn. Flowers white in flat cymes, May and June followed by bright conductation. | .90 | .80 | .50 .75 | |
| ries. Sun or shade. Strong plants, 1-2 ft. 2-3 ft. 3-4 ft. 4-6 ft. 6-8 ft. | .65 1.25 2.50 4.00 5.00 | .60 1.10 2.25 3.75 4.75 | .50 1.00 2.10 | |
| ULMUS PARVIFOLIA. Chinese Elm. Half-evergreen small tree or shrub. Reported hardy in vicinity of Boston. 2-4 ft. X strong | .90 | .80 | .70 | |
| 4-6 ft. Strong | 1.35 | 1.25 | .10 | |
| 2-5 It. A Strong D&D | $\frac{1.25}{2.00}$ | $\frac{1.00}{1.75}$ | | |
| VACCINIUM pallidum. Blue Ridge Blueberry. 2-7 ft. Best of all Blueberries, and very desirable ornamental shrub. General conditions. 3-4 ft. X heavy clumps, B&B | 9.77 | 0.50 | 0.05 | |
| viburnum alnifolium. Hobble-bush. Deciduous. 3-5 ft. Wide spreading branches, leaves large broad- ly ovate. cordate at hase. Flowers large broad- | 2.75 | 2.50 | 2.25 | |
| Fruit red berries turning black with age. 1-2 ft. | $\frac{1.25}{3.00}$ | $\frac{1.10}{2.75}$ | | |

| | 1-9 | | EACH 25-250 | 1000 |
|---|---------------------|---------------------|-------------|------------|
| VIBURNUM cassinoides. Withe-rod. 6-18 ft. Very hardy flowering shrub. Widely distributed. Leaves oval green, beautifully colored in autumn. Flowers creamy white early autumn. Fruit pink berries, changing to dark blue. Sun or shade. 2-3 ft | .90 4.00 5.75 | .80 3.75 5.25 | | |
| ZANTHORHIZA apiifolia. Yellowroot. 1-3 ft. Attractive shrub with bright yellow wood and roots. Leaves compound, consisting of about five deeply lobed, bright lustrous green leaflets. Flowers brownish purple in drooping compound racemes, early spring. Recommended for border massing and along streams. Sun or shade. Light plants for growing on | .30 .60 .75 | .25 .45 .65 | | .18 .36 |



WILD FLOWERS AND HOW TO GROW THEM

by EDWIN F. STEFFEK

Associate Editor of Popular Gardening Magazine, Author of the indispensable Plant Buyers Guide, etc.

100 ILLUSTRATIONS, 50 IN FULL COLOR

The first and only practical book on the cultivation of wild flowers, with full information on where to find them, how to identify them positively, how to transplant them and raise them in the home garden. A systematic study of how to care for and increase the numbers of more than 350 species of wild flowers. Tables of soil preferences, flowers which may be picked freely, etc.

"It is a real contribution to the conservation of wild flowers."—Dr. Edgar T. Wherry.

THIS STUNNING BOOK, WITH ITS 50 FULL-COLOR PLATES AND OTHER ILLUSTRATIONS, IS ONLY \$3.95

SPECIAL NOTE:

We have no connection whatever with any other Nursery. We employ no agents. Our entire business being transacted from our office at Ashford, North Carolina. BEWARE OF ANY SO CALLED NURSERYMEN, CLAIMING TO REPRESENT US AND OUR NURSERY STOCK.

Hardy Native Evergreen Trees and Shrubs

| | 1-9 | PRICE 10-24 | EACH 25-250 | 1000 |
|---|------------------------------|--|----------------------|------|
| ABIES fraseri. Fraser Fir. 35-60 ft. Excellent species of "Balsam" Fir from the Southern Mountains. Much superior to the Northern species. Sun or shade. Prefers cool climate. Strong transplanted. 6-12 in. 1-2 ft. strong transplants B&B 2-3 ft. strong transplants B&B 3-4 ft. X heavy B&B 4-5 ft. X heavy B&B 5-7 ft. X heavy B&B | 1.50 3.50 4.25 5.50 | \$.50 1.25 3.00 4.00 5.00 7.00 | \$.45 | |
| BUXUS sempervirens. Common Boxwood. 8-12 ft. Leaves oval-oblong, or lanceolate. Flowers clustered. For hedge or single specimen planting. Sun or shade. | 9 50 | 9.00 | | |
| 1-1½ ft. X strong stocky plants, B&B 1½-2 ft. XX heavy stocky plants, B&B | $\frac{3.50}{4.50}$ | $\frac{3.00}{4.00}$ | | |
| BUXUS SUFFRUTICOSA. Old English Box. Evergreen. 4-12 feet. Dwarf compact shrub. Recommended for edging, specimen or hedge planting. Sun or semi shade. 5-6 in. B&B | .75 | .65 | | |
| ILEX opaca. American Holly. 15-45 ft. A handsome, broad leaved evergreen known to many as Christmas Holly. Much used for holiday decoration. Leaves bright green, shining. Flowers small white, followed by abundance of red berries. Sun or shade. Three year seedling plants. | .30 | .25 | .20 | |
| JUNIPERUS hibernica. Irish Juniper. 10-18 ft. Pyramidal, with silvery foliage. General conditions. 4-5 ft. X B&B | 6.50 4. 50 | 6.00 4.2 5 | 5.75 4.00 | |
| JUNIPERUS sabina vonehron. Vonehron Juniper. Splendid foundation subject. Usually 3-4 ft. high. Fast growing, loose, open appearance. Deep rich color. | | | | |
| 12-18 in. X strong B&B 18-24 in. B&B 3-4 ft. B&B | 1.75 1.60 4.50 | 1.50 1.45 | 1.35 | |
| JUNIPERUS PFITZERIANA. Pfitzer Juniper. Evergreen. 2 to 5 feet. Plume shaped branches, covered with dull bluish gray foliage. For border ground cover and rockery. Shade or semi. | | | | |
| 12-16 In. A strong B&B | 2.25 3.00 4.00 | 2.00 2.75 3.70 | 1.90 2.60 3.50 | |
| JUNIPERUS excelsa stricta. Spiny Greek Juniper. Habit narrow and columnar. Erect branches. Foliage spiny, with glaucous blue color. Suitable | | | | |
| for dry, sunny location. 18-30 in. B&B | 3.50 | 3.25 | | |

HARDY NATIVE EVERGREEN TREES AND SHRUBS, continued

| | 1-9 | | EACH 25-250 | 1000 |
|---|----------------------|--------------------------------------|------------------------------|------|
| LEIOPHYLLUM buxifolium. Box sandmyrtle. 1-3 ft. Leaves dark green, resembling dwarf boxwood. Flowers white or pinkish, May and June. Useful for massing, border or rock garden. Sun or semi-shade. Strong clumps, 6-9 ins. B&B Strong clumps 9-18 in. B&B | \$1.75 2.50 | \$1.50 2.25 | \$ | \$ |
| LEUCOTHOE catesbaei. Drooping Leucothoe. 3-7 ft. Leaves in dark shining green, in shade, bronze in sunny location in winter. Flowers creamy white, fragrant and showy. May and June. Splendid for border and massing among other shrubbery. Sun or shade. This is one of our best broad-leaved evergreens. | | | | |
| Strong stocky plants, 9-18 in. B&B 1-1½ft. X heavy clumps, B&B 1½-2 ft. X heavy clumps, B&B 2-3 ft. 3-4 ft. | 2.75 2.50 3.25 | 1.15 2.00 2.30 3.00 3.75 | 1.00 1.75 2.20 2.50 | |
| PIERIS floribunda. Mountain Andromeda. 2-5 ft. Dense evergreen shrub. Leaves dark green above, black mottled beneath. Flowers showy white in terminal panieles. Early spring. Ex- tremely hardy. Sun or semi-shade. For massing with other shrubs, rock garden and borders. X quality clumps, B&B, 1-1½ ft | 3.50 | 3.25 | | |
| PINUS strobus. White Pine. 60-150 ft. Tall symmetrical pyramidal crown. Best known American evergreen tree. Very hardy and recommended everywhere. 1-2 ft. Strong, B&B | 1.50 3.00 | $1.25 \\ 2.75$ | 1.10 2.50 | |
| 3-4 ft. X quality, B&B 5-6 ft. B&B 6-8 ft. B&B | 4.00 6.50 8.00 | 3.75 6.25 7.50 | 3.50 6.00 7.00 | |
| TAXUS CANADENSIS. (minor) Canada Yew. Canada Yew. A procumbent shrub with ascending branches, rarely exceeding 2 to 3 feet in height, the slender branches clothed with bright or yellowish green foliage. Occurs naturally from Newfoundland to Virginia, and westward to Manitoba and Iowa. Splendid for rock-gardens, especially in cold sections. 6-12 in. B&B | .75 | .60 | | |
| TAXUS CUSPIDATA (Japanese Yew). Fast becoming popular in America. Suitable for varied conditions, shade and open locations. Originating in cold high altitudes of Northern Japan. Grows close, upright and compact. Foliage dark green, fruit bright scarlet and may be safely pruned | | | | |
| as desired. 9-12 in. X heavy plants B&B | .75 | .60 | | |

HARDY NATIVE EVERGREEN TREES AND SHRUBS, continued

| | 1-9 | PRICE : | EACH 25-250 | 1000 |
|--|--------------------------------------|--------------------------------------|------------------------------|--------|
| THUJA occidentalis. American Arborvitae. 40-60 ft. Pyramidal form. Foliage bright green, turning to brown and bronze in winter. Much used for decorating. Recommended for general conditions. 3-4 ft. B&B. 4-6 ft. Strong B&B. | | \$4.00 | \$ | \$ |
| THUJA OCCIDENTALIS GLOBOSA. Globe Arborvitae. Evergreen. Dwarf hardy form. For rockeries and formal plantings. Sun or semi shade. 18-24 in. | 4.00 | 3.50 | | |
| THUJA occidentalis woodwardi. Woodward Arborvitae. Recommended to our customers as one of the very best Globe Arborvitaes for general land-scape plantings. Spread equal to height XX heavy transplants. 2½ ft | 5.50 | 5.00 | | |
| TSUGA canadensis. Canada Hemlock. 50-100 ft. Tall and graceful tree, spreading or drooping branches, forming a pyramidal crown. For lawn, forest, hedges and wind breaks. General conditions. | | | | |
| 1-1½ ft. X strong plants, B&B 1½-2 ft. X strong plants, B&B 2-3 ft. XX strong, B&B 3-4 ft. XX strong, B&B 4-5 ft. XX strong, B&B 5-6 ft. XX strong, B&B | 4 90 | 1.15 2.60 3.80 4.70 5.50 | 1.10 2.50 3.70 4.60 | |
| TSUGA caroliniana. Carolina Hemlock. 40-75 ft. A stately tree, with grace and beauty, unapproached by any other American tree. More compact with pendulous spreading branches than the Canada Hemlock. Leaves dark green and glossy, with two white lines beneath. Reported to be hardier and more adapted to varied conditions than Canada Hemlock. | | | | |
| 100 Strong stocky seedling plants, 6-12 in 6-12 in. X transplants 1-1½ ft. transplants B&B 1½-2 ft. transplants B&B 2-3 ft. B&B 3-4 ft. B&B 4-5 ft. B&B 5-6 ft. B&B 6-7 ft. B&B | 3.00 3.50 5.50 6.50 8.00 | .75 2.00 3.40 | .70 | 135.00 |

ALL OUR NURSERY STOCK IS GUARANTEED TO BE AS REPRESENTED,
GOOD QUALITY AND TRUE TO NAME. BEST PACKING.
VISITORS ALWAYS WELCOME.

OUTSTANDING VALUES AMAZING PLANT COLLECTIONS BUY NOW AND SAVE

| 100 HERBACEOUS PERENNIALS, Assorted. For shade or sunny location. Flowering from early spring until late autumn. Our selection. State | |
|---|------------------|
| whether wanted for shade or open location planting | \$18.50 |
| 100 ROCK GARDEN PLANTS, Assorted. For shade or sunny location as | |
| desired. Please advise. Our selection | 19.90 |
| 100 EVERGREEN GROUND COVERS, Assorted. For shady location. Our | |
| selection | 21.00 |
| 100 HARDY VIOLETS. Assorted. Shade or semi. Our selection | 16.50 |
| 100 TRILLIUMS. Assorted flowering size. Shade or semi. Our selection | 6.35 |
| 100 TRILLIUMS. Assorted 1st size Shade or semi. Our selection | 13.75 |
| 100 HARDY NATIVE FERNS. Assorted. Shade or semi Our selection | 22.50 |
| 100 HARDY AQUATIC AND BOG PLANTS. For shade or sun as desired. | |
| Our selection | 24.75 |
| 100 LILIUM SUPERBUM. American Turkscap Lily. X first size | 19.00 |
| 100 IRIS CRISTATA. Crested Iris. X heavy clumps. Shade or semi | 17.50 |
| 100 CANADA HEMLOCK, 6-12 in, seedlings per 100 | 11.00 |
| 1000 | 90.00 |
| 100 CAROLINA HEMLOCK. 6-12 in. seedlings | 14.50 |
| 100 WHITE PINE. X strong seedlings 6-12 in. | 17.65 |
| 100 AMERICAN HOLLY. One year seedlings | 15.00 |
| 100 KALMIA LATIFOLIA. Mountain Laurel. 4-12 in. seedlings | 12.50 |
| 100 RHODODENDRON CAROLINIANUM. Carolina Rhododendron. 4-8 | |
| in. seedlings | 18.00 |
| 100 RHODODENDRON CATAWBIENSE. Catawba Rhododendron. 4-12 | |
| in, seedlings | 13.75 |
| 100 RHODODENRON MAXIMUM. Rosebay Rhododendron. 4-12 in. seedlings | |
| seedlings | 12.50 |
| 100 RHODODENDRON MAXIMUM. Rosebay Rhododendron. 12-15 in. | 00.00 |
| seedlings, very select quality | $20.00 \\ 12.50$ |
| 100 CONVALLARIA MAJALIS. Lily-of-the-valley. Shade of semi shade | 14.50 |

ABOVE COLLECTIONS HIGHLY RECOMMENDED SATISFACTION GUARANTEED

NOTE: Our fall planting season begins in August and continues on through winter and spring, under favorable planting conditions, with about equal results. From more than fifty years experience we continue to have faith in fall planting.

We know how to pack to insure delivery in good condition, even to foreign countries. Let us handle your orders for high-class native plant materials.

EVERGREENS FOR HOLIDAY DECORATIONS BEARING THE FRAGRANCE OF BALSAM AND PINE THE COLOR OF GALAX AND HOLLY

Fresh from the Blue Ridge Mountains in North Carolina. The green leaves and red berries will bring a distinct Christmas atmosphere to your home, or convey a message of greetings to your friends.

ASK FOR PRICE LIST



Garden Blue Ridge

HARDY AND RARE TREES, SHRUBS, FERNS, VINES AND HERBACEOUS PERENNIALS OF THE BLUE RIDGE MOUNTAINS

E. C. ROBBINS, Nurseryman
ASHFORD, McDOWELL COUNTY, N. C., U.S.A.

